





GOLD™ & COMPACT™ Quickguide







GOLD RX	L		L1		W mm	H mm	Ø mm	Min.		≤ SFP _v 2.0/200 Pa		Max.		⚡
	mm	kg	mm	kg				m³/s	m³/h	m³/s	m³/h	m³/s	m³/h	
04	1500	243	-	-	825	1020	Ø 315	0.08	290	0.42	1510	0.45	1620	1x230V, 10A ¹
04 Top	1500	247	-	-	825	1020	Ø 315	0.08	290	0.40	1440	0.45	1620	1x230V, 10A ¹
05	1500	243	-	-	825	1020	Ø 315	0.08	290	0.42	1510	0.65	2340	1x230V, 10A ¹
05-2	1500	243	-	-	825	1020	Ø 315	0.08	290	0.42	1510	0.65	2340	1x230V, 16A ¹
05 Top	1500	247	-	-	825	1020	Ø 315	0.08	290	0.40	1440	0.65	2340	1x230V, 10A ¹
08	1600	309	-	-	995	1185	Ø 400	0.20	720	0.78	2800	1.00	3600	1x230V, 16A ¹
08-2	1600	309	-	-	995	1185	Ø 400	0.20	720	0.78	2800	1.00	3600	3x400V, 10A
08 Top	1600	310	-	-	995	1185	Ø 400	0.20	720	0.72	2590	1.00	3600	1x230V, 16A ¹
12	1860	518	655	178	1199	1495	Ø 500	0.20	720	1.19	4280	1.40	5040	3x400V, 10A
12-2	1860	518	655	178	1199	1495	Ø 500	0.20	720	1.15	4140	1.40	5040	3x400V, 10A
12 Top	1860	504	655	171	1199	1495	Ø 500	0.20	720	1.05	3780	1.40	5040	3x400V, 10A
14	2080	625	765	227	1400	1595	1000x400	0.30	1080	1.65	5940	1.65	5940	3x400V, 10A
20	2080	625	765	227	1400	1595	1000x400	0.30	1080	1.80	6480	2.10	7560	3x400V, 10A
20-2	2080	625	765	227	1400	1595	1000x400	0.30	1080	1.80	6480	2.10	7560	3x400V, 16A
25	2220	786	835	285	1600	1795	1200x500	0.50	1800	2.42	8710	2.50	9000	3x400V, 16A
30	2220	786	835	285	1600	1795	1200x500	0.50	1800	2.42	8710	3.20	11520	3x400V, 20A
30-2	2220	786	835	285	1600	1795	1200x500	0.50	1800	2.42	8710	3.20	11520	3x400V, 20A
35	2446	1120	948	404	1990	2185	1400x600	0.75	2700	3.70	13320	3.90	14040	3x400V, 16A
40	2446	1120	948	404	1990	2185	1400x600	0.75	2700	3.82	13750	5.00	18000	3x400V, 25A
50	2670	1498	1050	542	2318	2353	1600x800	1.00	3600	5.00	18000	5.00	18000	3x400V, 25A
60	2670	1498	1050	542	2318	2353	1600x800	1.00	3600	5.05	18180	6.50	23400	3x400V, 32A
60-2	2670	1498	1050	542	2318	2353	1600x800	1.00	3600	5.05	18180	6.50	23400	3x400V, 50A
70	3120	2311	1275	866	2637	2740	1800x1000	1.50	5400	7.00	25200	7.50	27000	3x400V, 32A
80	3120	2311	1275	866	2637	2740	1800x1000	1.50	5400	7.00	25200	9.50	34200	3x400V, 50A
80-2	3120	2311	1275	866	2637	2740	1800x1000	1.50	5400	7.00	25200	9.50	34200	3x400V, 80A
100	3322	3982	1126	875+529	3340	3440	2400x1200	2.50	9000	10.4	37440	11.0	39600	3x400V, 50A
120	3322	3982	1126	875+529	3340	3440	2400x1200	2.50	9000	10.4	37440	14.0	50400	3x400V, 80A
120-2	3322	3982	1126	875+529	3340	3440	2400x1200	2.50	9000	10.4	37440	14.0	50400	3x400V, 125A

¹ Alt. 3x400V, 10A









Overview chart not available.




¹ Alt. 3x400V, 10A² MPE/MTE


GOLD PX	L		L2		W mm	H mm	 mm	Min.		≤ SFP _v 2.0/200 Pa		Max.		
	mm	kg	mm	kg				m ³ /s	m ³ /h	m ³ /s	m ³ /h	m ³ /s	m ³ /h	
04	2000	291-337	-	-	905	1200	∅ 315	0.08	290	0.45/ 0.45 ²	1620/1620 ²	0.45	1620	1x230V, 10A ¹
05	2000	291-337	-	-	905	1200	∅ 315	0.08	290	0.62/ 0.50 ²	2230/1800 ²	0.65	2340	1x230V, 10A ¹
05-2	2000	291-337	-	-	905	1200	∅ 315	0.08	290	0.62/ 0.50 ²	2230/1800 ²	0.65	2340	1x230V, 16A ¹
07	2230	360-419	-	-	1075	1365	∅ 400	0.08	290	0.75/ 0.71 ²	2700/2560 ²	0.75	2700	1x230V, 10A ¹
07-2	2230	360-419	-	-	1075	1365	∅ 400	0.08	290	0.75/ 0.71 ²	2700/2560 ²	0.75	2700	1x230V, 16A ¹
08	2230	369-428	-	-	1075	1365	∅ 400	0.20	720	0.97/ 0.79 ²	3490/2840 ²	1.00	3600	1x230V, 16A ¹
08-2	2230	369-428	-	-	1075	1365	∅ 400	0.20	720	0.97/ 0.79 ²	3490/2840 ²	1.00	3600	3x400V, 10A
11	2510	552-646	1200	270-312	1279	1495	∅ 500	0.20	720	1.10/ 1.01 ²	3960/3640 ²	1.10	3960	1x230V, 16A ¹
11-2	2510	552-646	1200	270-312	1279	1495	∅ 500	0.20	720	1.10/ 1.01 ²	3960/3640 ²	1.10	3960	3x400V, 10A
12	2510	574-668	1200	270-312	1279	1495	∅ 500	0.20	720	1.40/1.14 ²	5040/4100 ²	1.40	5040	3x400V, 10A
12-2	2510	574-668	1200	270-312	1279	1495	∅ 500	0.20	720	1.40/1.14 ²	5040/4100 ²	1.40	5040	3x400V, 10A
14	2830	764	1300	310	1480	1595	1000x400	0.30	1080	1.65	5940	1.65	5940	3x400V, 10A
20	2830	764	1300	310	1480	1595	1000x400	0.30	1080	1.95	7020	2.10	7560	3x400V, 10A
20-2	2830	764	1300	310	1480	1595	1000x400	0.30	1080	1.95	7020	2.10	7560	3x400V, 16A
25	3170	1002	1500	432	1680	1795	1200x500	0.50	1800	2.50	9000	2.50	9000	3x400V, 16A
30	3170	1002	1500	432	1680	1795	1200x500	0.50	1800	2.75	9900	3.20	11520	3x400V, 16A
30-2	3170	1002	1500	432	1680	1795	1200x500	0.50	1800	2.75	9900	3.20	11520	3x400V, 20A

GOLD CX	L		L1		W mm	H mm	 mm	Min.		≤ SFP _v 2.0/200 Pa		Max.		
	mm	kg	mm	kg				m ³ /s	m ³ /h	m ³ /s	m ³ /h	m ³ /s	m ³ /h	
35	2575	1355	948	404	2590	2085	1400x600	0.75	2700	3.90	14040	3.90	14040	3x400V, 20A
40	2575	1355	948	404	2590	2085	1400x600	0.75	2700	4.25	15300	5.00	18000	3x400V, 32A
50	2860	2045	1050	542	2968	2353	1600x800	1.00	3600	5.00	18000	5.00	18000	3x400V, 25A
60	2860	2045	1050	542	2968	2353	1600x800	1.00	3600	6.00	21600	6.50	23400	3x400V, 40A
60-2	2860	2045	1050	542	2968	2353	1600x800	1.00	3600	6.00	21600	6.50	23400	3x400V, 50A
70	3310	3030	1275	866	3437	2740	1800x1000	1.50	5400	7.50	27000	7.50	27000	3x400V, 32A
80	3310	3030	1275	886	3437	2740	1800x1000	1.50	5400	8.00	28800	9.50	34200	3x400V, 50A
80-2	3310	3030	1275	886	3437	2740	1800x1000	1.50	5400	8.00	28800	9.50	34200	3x400V, 80A
100	3322	4568	1126	875+529	3340	3440	2400x1200	2.50	9000	11.0	39600	11.0	39600	3x400V, 50A
120	3322	4568	1126	875+529	3340	3440	2400x1200	2.50	9000	11.0	39600	11.0	39600	3x400V, 80A
120-2	3322	4568	1126	875+529	3340	3440	2400x1200	2.50	9000	11.0	39600	11.0	39600	3x400V, 125A


GOLD PX 04-08





GOLD PX 12-30



GOLD CX 35-120







GOLD SD 04-12	L		L1		W mm	H mm	Ø mm	Min.		≤ SFP _v 1.0/200 Pa		Max.		⚡
	mm	kg	mm	kg				m³/s	m³/h	m³/s	m³/h	m³/s	m³/h	
04	-	-	1099	119	825	490	Ø 315	0.08	290	0.59	2120	0.60	2160	1x230V, 10A
05	-	-	1099	119	825	490	Ø 315	0.08	290	0.72	2590	0.80	2880	1x230V, 10A
05-2	-	-	1099	119	825	490	Ø 315	0.08	290	0.72	2590	0.80	2880	1x230V, 10A
08	-	-	1174	137	995	575	Ø 400	0.20	720	1.11	4000	1.20	4320	1x230V, 10A
08-2	-	-	1174	137	995	575	Ø 400	0.20	720	1.11	4000	1.20	4320	3x400V, 10A
										≤ SFP _v 2.0/00 Pa				
12	1961	306	1404	187	1199	748	Ø 500	0.20	720	1.20	4320	1.80	6480	3x400V, 10A
12-2	1961	306	1404	187	1199	748	Ø 500	0.20	720	1.20	4320	1.80	6480	3x400V, 10A

GOLD SD 14-120	L		L1		W mm	H mm	mm	Min.		≤ SFP _v 2.0/200 Pa		Max.		⚡
	mm	kg	mm	kg				m³/s	m³/h	m³/s	m³/h	m³/s	m³/h	
14	2471	473	1040	206	1400	906	1000x400	0.30	1080	1.76	6340	2.00	7200	3x400V, 10A
20	2471	473	1040	206	1400	906	1000x400	0.30	1080	2.14	7700	2.80	10080	3x400V, 10A
20-2	2471	473	1040	206	1400	906	1000x400	0.30	1080	2.14	7700	2.80	10080	3x400V, 10A
25	2576	611	1145	287	1600	1126	1200x500	0.50	1800	2.70	9720	3.20	11520	3x400V, 10A
30	2576	611	1145	287	1600	1126	1200x500	0.50	1800	3.15	11340	4.00	14400	3x400V, 10A
30-2	2576	611	1145	287	1600	1126	1200x500	0.50	1800	3.15	11340	4.00	14400	3x400V, 10A
35	2576	782	1145	375	1990	1226	1400x600	0.75	2700	4.10	14760	5.00	18000	3x400V, 10A
40	2576	782	1145	375	1990	1226	1400x600	0.75	2700	4.60	16560	6.00	21600	3x400V, 16A
50	2543	1080	1078	450	2318	1420	1600x800	1.00	3600	5.40	19440	6.00	21600	3x400V, 10A
60	2543	1080	1078	450	2318	1420	1600x800	1.00	3600	6.40	23040	8.00	28800	3x400V, 16A
60-2	2543	1080	1078	450	2318	1420	1600x800	1.00	3600	6.40	23040	8.00	28800	3x400V, 25A
70	3310	1672	1327	640	2637	1420	1800x1000	1.50	5400	7.50	27000	9.00	32400	3x400V, 16A
80	3310	1672	1327	640	2637	1420	1800x1000	1.50	5400	7.70	27720	12.00	43200	3x400V, 25A
80-2	3310	1672	1327	640	2637	1420	1800x1000	1.50	5400	7.70	27720	12.00	43200	3x400V, 40A
100	3322	2284	1126	875	3340	1720	2400x1200	2.50	9000	11.3	40680	14.0	50400	3x400V, 25A
120	3322	2284	1126	875	3340	1720	2400x1200	2.50	9000	11.7	42120	18.0	64800	3x400V, 40A
120-2	3322	2284	1126	875	3340	1720	2400x1200	2.50	9000	11.7	42120	18.0	64800	3x400V, 63A


GOLD SD 04-08




GOLD SD 12



GOLD SD 14-120




GOLD™ LP





GOLD LP	L mm	W mm	H mm	kg	mm	Min.		≤ SFP _v 2.0/200 Pa		Max.		⚡
						m³/s	m³/h	m³/s	m³/h	m³/s	m³/h	
05	2171	560	1171	247	400x454	0.08	290	0.41	1470	0.53	1900	1x230V, 10A
08	2730	635	1329	301	475x533	0.08	290	0.62	2230	0.74	2600	1x230V, 10A

COMPACT™ Unit&Top




COMPACT	L mm	W mm	H mm	kg	mm	Min.		≤ SFP _v 2.0/200 Pa		Max.		⚡
						l/s	m³/h	l/s	m³/h	l/s	m³/h	
Unit 02	1246	792	782	160	∅ 250	80	290	200	720	230	830	1x230V, 10A
Unit 03	1246	792	782	160	∅ 250	80	290	250	900	360	1300	1x230V, 10A
Top 02	1107	788	1318	200	∅ 250	80	290	200	720	230	830	1x230V, 10A
Top 03	1107	788	1318	200	∅ 250	80	290	230	830	360	1300	1x230V, 10A

COMPACT™ Air&Heat



COMPACT	W mm	H mm	D mm	kg	mm	Min.		Max. / SFP _v / Pa		⚡
						l/s	m³/h	l/s	m³/h	
Air 02	1102	2114	792	331	∅ 250	80	290	230/1.1/20	830/1.1/20	1x230V, 10A
Air 03	1102	2114	792	331	∅ 250	80	290	330/1.8/20	1200/1.8/20	1x230V, 10A
Heat 02	1102	2114	792	345	∅ 250	80	290	230/1.3/20	830/1.3/20	3x400V, 16A
Heat 03	1102	2114	792	345	∅ 250	80	290	305/2.0/20	1100/2.0/20	3x400V, 16A



				02/03	04/05	07/08	11/12	14/20	25/30	35/40	50/60	70/80	100/120
TBSA			L (mm)	125	140	210*	210	220	220	220	220	220	220
TCSA			L (mm)	-	353	353	353	353	353	353	377	381	500
TBDA			L (mm)	800	915	1200*	1200	650	650	650	650	1250	1250
TCDA			L (mm)	-	948	948	948	948	948	948	972	972	1070
TBLA TBLF			L (mm)	300	300	300*	300	148-300	148-300	148-300	148 (TBLF)	148 (TBLF)	-
TCLA TCLF			L (mm)	-	353	353	428	353	353	353	542 (TCLA)	542 (TCLA)	720 (TCLA)
TBLE			L (mm)	278	291-700	291-800*	370-700	370-800	370-1000	370-1000	-	-	-
TCLE			L (mm)	-	593	593	593-800	518-723	518-723	518-723	604-764	617-760	1070
TBKA TBKC			L (mm)	500	500	500*	500	500	500	500	-	-	-
TCKA TCKC			L (mm)	-	428-593	428-593	422-593	468-593	468-593	468-593	542	542	720 (TCKA)
TCLK			L (mm)	-	1098	1098	1148	1330-1455	1330-1455	1330-1455	1626	1626	1940
TCEK			L (mm)	-	1409	1409	1420-2038	1608-1733	1608-1733	1608-1733	1688-1848	1700-1843	2290
TCGA			L (mm)	-	723	723	723	723	723	723	617	617	720
TCIA			L (mm)	-	723	723	723	723	723	723	542	542	500
TCFB			L (mm)	-	723	723	723	723	723	723	764	760	720
TGBR			L (mm)	-	-	-	550	550	550	550	570	570	1070
TCBP			L (mm)	-	-	-	550	550	550	550	-	-	-

*GOLD LP 05/08