




GOLD™ & COMPACT™ Quickguide







GOLD RX	L		L1		W mm	H mm	Ø mm	Min.		≤ SFP _v 2.0/200 Pa		Max.		⚡
	mm	kg	mm	kg				m³/s	m³/h	m³/s	m³/h	m³/s	m³/h	
04	1500	214-243	-	-	825	1011	Ø 315	0.08	290	0.42	1510	0.45	1620	1x230V, 10A*
04 Top	1500	247	-	-	825	1011	Ø 315	0.08	290	0.38	1370	0.45	1620	1x230V, 10A*
05	1500	214-243	-	-	825	1011	Ø 315	0.08	290	0.42	1510	0.65	2340	1x230V, 10A*
05 Top	1500	247	-	-	825	1011	Ø 315	0.08	290	0.40	1440	0.65	2340	1x230V, 10A*
07	1600	262-301	-	-	995	1176	Ø 400	0.08	290	0.69	2480	0.75	2700	1x230V, 16A*
07 Top	1600	306	-	-	995	1176	Ø 400	0.08	290	0.65	2340	0.75	2700	1x230V, 16A*
08	1600	270-309	-	-	995	1176	Ø 400	0.20	720	0.77	2770	1.00	3600	1x230V, 16A*
08 Top	1600	310	-	-	995	1176	Ø 400	0.20	720	0.71	2550	1.00	3600	1x230V, 16A*
11	1860	444-496	655	141-167	1199	1486	Ø 500	0.20	720	1.00	3600	1.10	3960	1x230V, 16A*
11 Top	1860	488	655	163	1199	1486	Ø 500	0.20	720	0.94	3380	1.10	3960	1x230V, 16A*
12	1860	466-518	655	178	1199	1486	Ø 500	0.20	720	1.14	4100	1.40	5040	3x400V, 10A
12 Top	1860	504	655	171	1199	1486	Ø 500	0.20	720	1.04	3740	1.40	5040	3x400V, 10A
14	2080	521-589	765	175-209	1400	1586	1000x400	0.20	720	1.65	5940	1.65	5940	3x400V, 10A
20	2080	557-625	765	193-227	1400	1586	1000x400	0.30	1080	1.80	6480	2.10	7560	3x400V, 10A
25	2220	666-746	835	225-265	1600	1786	1200x500	0.30	1080	2.25	8100	2.50	9000	3x400V, 16A
30	2220	706-786	835	245-285	1600	1786	1200x500	0.50	1800	2.35	8460	3.20	11520	3x400V, 20A
35	2446	956-1070	948	322-379	1990	2085	1400x600	0.50	1800	3.50	12600	3.90	14040	3x400V, 16A
40	2446	1006-1120	948	347-404	1990	2085	1400x600	0.75	2700	3.80	13680	3.90	14040	3x400V, 20A
50	2670	1294-1418	1050	440-502	2318	2353	1600x800	0.60	2160	4.75	17100	5.00	18000	3x400V, 25A
60	2670	1374-1498	1050	480-542	2318	2353	1600x800	1.00	3600	5.00	18000	6.50	23400	3x400V, 32A
70	3120	2059-2211	1275	740-816	2637	2740	1800x1000	1.00	3600	6.60	23760	7.50	27000	3x400V, 32A
80	3120	2159-2435	1275	790-928	2637	2740	1800x1000	1.50	5400	6.85	24660	9.50	34200	3x400V, 50A
100	3322	3540-3900	1126	834+529	3340	3440	2400x1200	1.50	5400	10.00	36000	11.00	39600	3x400V, 50A
120	3322	3746-4168	1126	968+529	3340	3440	2400x1200	2.50	9000	10.30	37080	14.00	50400	3x400V, 80A

* Alt. 3x400V, 10A








GOLD PX	L		L2		W mm	H mm	mm	Min.		≤ SFP _v 2.0/200 Pa		Max.		⚡
	mm	kg	mm	kg				m³/s	m³/h	m³/s	m³/h	m³/s	m³/h	
04	2000	291-337	-	-	905	1191	∅ 315	0.08	290	0.45	1620	0.45	1620	1x230V, 10A*
05	2000	291-337	-	-	905	1191	∅ 315	0.08	290	0.62	2230	0.65	2340	1x230V, 10A*
07	2230	360-419	-	-	1075	1356	∅ 400	0.08	290	0.75	2700	0.75	2700	1x230V, 10A*
08	2230	369-428	-	-	1075	1356	∅ 400	0.20	720	0.97	3490	1.00	3600	1x230V, 16A*
11	2510	552-646	1219	270-312	1279	1486	∅ 500	0.20	720	1.10	3960	1.10	3960	1x230V, 10A*
12	2510	574-668	1219	270-312	1279	1486	∅ 500	0.20	720	1.40	5040	1.40	5040	3x400V, 10A
14	2830	667-773	1319	317-355	1480	1586	1000x400	0.20	720	1.65	5940	1.65	5940	3x400V, 10A
20	2830	703-809	1319	317-355	1480	1586	1000x400	0.30	1080	2.10	7560	2.10	7560	3x400V, 10A
25	3170	905-1058	1569	455-528	1680	1786	1200x500	0.30	1080	2.50	9000	2.50	9000	3x400V, 16A
30	3170	945-1098	1569	455-528	1680	1786	1200x500	0.50	1800	3.20	11520	3.20	11520	3x400V, 16A

* Alt. 3x400V, 10A

GOLD CX	L		L1		W mm	H mm	mm	Min.		≤ SFP _v 2.0/200 Pa		Max.		⚡
	mm	kg	mm	kg				m³/s	m³/h	m³/s	m³/h	m³/s	m³/h	
35	2575	1355	948	322-379	2640	2085	1400x600	0.50	1800	3.78	13608	3.90	14040	3x400V, 20A
40	2575	1355	948	347-404	2640	2085	1400x600	0.75	2700	3.90	14040	3.90	14040	3x400V, 20A
50	2860	2045	1050	440-502	3018	2353	1600x800	1.00	3600	5.00	18000	5.00	18000	3x400V, 25A
60	2860	2045	1050	480-542	3018	2353	1600x800	1.00	3600	5.95	21420	6.50	23400	3x400V, 40A
70	3310	3030	1275	740-816	3487	2740	1800x1000	1.50	5400	7.30	26280	7.50	27000	3x400V, 40A
80	3310	3030	1275	790-928	3487	2740	1800x1000	1.50	5400	8.00	28800	9.50	34200	3x400V, 63A
100	3322	4568	1126	834+529	3477	3440	2400x1200	1.50	5400	11.00	39600	11.00	39600	3x400V, 63A
120	3322	4568	1126	968+529	3477	3440	2400x1200	2.50	9000	11.70	42120	14.00	50400	3x400V, 80A









GOLD SD 04-08	L		W mm	H mm	Ø mm	Min.		≤ SFP _v 1.0/200 Pa		Max.		⚡
	mm	kg				m³/s	m³/h	m³/s	m³/h	m³/s	m³/h	
04	1099	105-119	825	490	Ø 315	0.08	290	0.60	2160	0.60	2160	1x230V, 10A
05	1099	105-119	825	490	Ø 315	0.08	290	0.80	2880	0.80	2880	1x230V, 10A
07	1174	113-133	995	575	Ø 400	0.08	290	0.80	2880	0.80	2880	1x230V, 10A
08	1174	117-137	995	575	Ø 400	0.20	720	1.19	4280	1.20	4320	1x230V, 10A

GOLD SD 11-12	L		L1		W mm	H mm	Ø mm	Min.		≤ SFP _v 2.0/200 Pa		Max.		⚡
	mm	kg	mm	kg				m³/s	m³/h	m³/s	m³/h	m³/s	m³/h	
11	1961	269-295	1404	150-176	1199	748	Ø 500	0.20	720	1.05	3780	1.20	4320	1x230V, 10 A
12	1961	280-306	1404	161-187	1199	748	Ø 500	0.20	720	1.20	4320	1.80	6480	3x400V, 10A


GOLD SD 14-120	L		L1		W mm	H mm	mm	Min.		≤ SFP _v 2.0/200 Pa		Max.		⚡
	mm	kg	mm	kg				m³/s	m³/h	m³/s	m³/h	m³/s	m³/h	
14	2471	417-455	988	169-188	1400	906	1000x400	0.20	720	1.65	5940	1.80	6480	3x400V, 10A
20	2471	435-473	988	187-206	1400	906	1000x400	0.30	1080	2.10	7560	2.80	10080	3x400V, 10A
25	2576	539-591	1093	241-267	1600	1126	1200x500	0.30	720	2.50	9000	2.80	10080	3x400V, 10A
30	2576	559-611	1093	261-287	1600	1126	1200x500	0.50	1800	3.19	11480	4.00	14400	3x400V, 10A
35	2576	689-757	1093	316-350	1990	1226	1400x600	0.50	1800	3.90	14040	4.00	14400	3x400V, 10A
40	2576	714-782	1093	341-375	1990	1226	1400x600	0.75	2700	4.00	14400	5.00	18000	3x400V, 16A
50	2543	978-1040	1050	379-410	2318	1420	1600x800	0.60	2160	5.00	18000	5.60	20160	3x400V, 10A
60	2543	1018-1080	1050	419-450	2318	1420	1600x800	1.00	3600	6.50	23400	8.00	28800	3x400V, 16A
70	3310	1546-1622	1327	783-590	2637	1420	1800x1000	1.00	3600	7.30	26280	8.00	28800	3x400V, 16A
80	3310	1596-1672	1327	602-640	2637	1420	1800x1000	1.50	5400	8.00	28800	12.00	43200	3x400V, 25A
100	3322	2063-2243	1126	899-1079	3340	1720	2400x1200	1.50	5400	11.00	39600	12.00	43200	3x400V, 25A
120	3322	2166-2377	1126	1002-1213	3340	1720	2400x1200	2.50	9000	11.70	42120	18.00	64800	3x400V, 40A







GOLD LP	L mm	W mm	H mm	kg	mm	Min.		≤ SFP _v 2.0/200 Pa		Max.		⚡
						m³/s	m³/h	m³/s	m³/h	m³/s	m³/h	
05	2172	560	1171	247	454x400	0.08	290	0.41	1470	0.53	1900	1x230V, 10A
08	2370	635	1329	301	533x475	0.08	290	0.62	2230	0.74	2600	1x230V, 10A

COMPACT™ Unit&Top




COMPACT	L mm	W mm	H mm	kg	mm	Min.		≤ SFP _v 2.0/200 Pa		Max.		⚡
						m³/s	m³/h	m³/s	m³/h	m³/s	m³/h	
Unit 02	1246	792	782	160	∅ 250	0,08	290	0,2	720	0,23	830	1x230V, 10A
Unit 03	1246	792	782	160	∅ 250	0,08	290	0,25	900	0,36	1300	1x230V, 10A
Top 02	1107	788	1318	200	∅ 250	0,08	290	0,2	720	0,23	830	1x230V, 10A
Top 03	1107	788	1318	200	∅ 250	0,08	290	0,23	830	0,36	1300	1x230V, 10A

COMPACT™ Air&Heat



COMPACT	W mm	H mm	D mm	kg	mm	Min.		Max./ SFP _v /Pa		⚡
						m³/s	m³/h	m³/s	m³/h	
Air 02	1102	2114	792	331	∅ 250	0,08	290	0,23/1.1/20	830/1.1/20	1x230V, 10A
Air 03	1102	2114	792	331	∅ 250	0,08	290	0,33/1.8/20	1200/1.8/20	1x230V, 10A
Heat 02	1102	2114	792	345	∅ 250	0,08	290	0,23/1.3/20	830/1.3/20	3x400V, 16A
Heat 03	1102	2114	792	345	∅ 250	0,08	290	0,30/2.0/20	1100/2.0/20	3x400V, 16A



				02/03	04/05	07/08	11/12	14/20	25/30	35/40	50/60	70/80	100/120
TBSA			L (mm)	125	140	210*	210	220	220	220	220	220	220
TCSA			L (mm)	-	353	353	353	353	353	353	377	381	500
TBDA			L (mm)	800	915	1200*	1200	650	650	650	650	1250	1250
TCDA			L (mm)	-	948	948	948	948	948	948	972	972	1070
TBLA TBLF			L (mm)	300	300	300*	300	148-300	148-300	148-300	148 (TBLF)	148 (TBLF)	-
TCLA TCLF			L (mm)	-	353	353	428	353	353	353	542 (TCLA)	542 (TCLA)	720 (TCLA)
TBLE			L (mm)	278	291-700	291-800*	370-700	370-800	370-1000	370-1000	-	-	-
TCLE			L (mm)	-	593	593	593-800	518-723	518-723	518-723	604-764	617-760	1070
TBKA TBKC			L (mm)	500	500	500*	500	500	500	500	-	-	-
TCKA TCKC			L (mm)	-	428-593	428-593	422-593	468-593	468-593	468-593	542	542	720 (TCKA)
TCLK			L (mm)	-	1098	1098	1148	1330-1455	1330-1455	1330-1455	1626	1626	1940
TCEK			L (mm)	-	1409	1409	1420-2038	1608-1733	1608-1733	1608-1733	1688-1848	1700-1843	2290
TCGA			L (mm)	-	723	723	723	723	723	723	617	617	720
TCIA			L (mm)	-	723	723	723	723	723	723	542	542	500
TCFB			L (mm)	-	723	723	723	723	723	723	764	760	720
TGBR			L (mm)	-	-	-	550	550	550	550	570	570	1070
TCBP			L (mm)	-	-	-	550	550	550	550	-	-	-

*GOLD LP 05/08